



DEFENSE
HEALTH AGENCY

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE

HEALTH AFFAIRS

7700 ARLINGTON BOULEVARD, SUITE 5101

FALLS CHURCH, VA 22042-5101

DEPARTMENT OF DEFENSE CLINICAL LABORATORY IMPROVEMENT PROGRAM

High Complexity Testing

CLIP Registration Number: DOD2091101

Accreditation Date: 10/5/2014

This Certificate applies to the following laboratory and site(s) under the direction of:

TODD E. MYERS, LCDR, PHD (ABB)

NIDDL Silver Spring, MD

503 Robert Grant Ave

Silver Spring, MD 20910

Accredited/Certified Testing Site(s):

Laboratory Department

NMRC Mobile Laboratory A

NMRC Mobile Laboratory B

IAW with Chapter 4 of the DoD Clinical Laboratory Improvement Program Manual DoDM 6440.02, this certificate issued under the authority of the United States Navy Surgeon General, is valid for two years from the date of accreditation. This certificate is subject to revocation, suspension, or other sanctions for failure to maintain accreditation and/or other violations of the DoD Clinical Laboratory Improvement Program guidelines and regulations. All correspondence relative to this certificate should be referred to the Center for Laboratory Medicine Services (DHA-HCO-CLMS), 7700 Arlington Boulevard, Suite 5101, Falls Church, VA 22042-5101.

**WILKERSON.CYNTHI
A.ELIESE.1148106041**

Digitally signed by
WILKERSON.CYNTHIA.ELIESE.1148106041
DN: cn=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USN,
c=WILKERSON.CYNTHIA.ELIESE.1148106041
Date: 2015.01.16 13:23:27 -0500

CYNTHIA E. WILKERSON, CAPT, MSC, USN
Director, Center for Laboratory Medicine Services