

Table 1 - Interview Periods

based on

CDC STD Treatment Guidelines 2010; MMWR 59; RR-12

CDC Partner Services Guide 2008; MMWR 57; 30 Oct 2008

CDC Partner Counseling and Referral Services Trainers Manual, 2002, page T4-17,18

SECNAVINST 5300.30E, Management of HIV in the Navy and Marine Corps, Aug 2012

Chancroid	10 days preceding onset
Chlamydia	60 days before onset (or date of specimen collection if asymptomatic); or most recent partner if >60 days
Genital Herpes	current sex partners can benefit from evaluation and counseling
Gonorrhea	60 days before onset (or date of specimen collection if asymptomatic); or most recent partner if >60 days
Granuloma Inguinale	60 days
Hepatitis B, acute	Vaccinate partners if within 14 days after the sexual exposure. The interval during which post-sexual-exposure prophylactic vaccination is effective is unlikely to exceed 14 days.
Hepatitis B, chronic	No contact time period specified. Minimally, current sexual partners, needle-sharing partners and non-sexual household contacts should be offered hepatitis B vaccine.
Hepatitis C	Patient should discuss the low but present risk of sexual transmission with their partners and discuss the need for counseling and testing.
HIV	1 or 2 years before date of first positive HIV test through date of interview; might be mitigated by evidence of recent infection or availability of verified previous negative test results. <u>Spouses</u> : SECNACVINST 5300.30E requires that spouses of HIV positive reserve component members be provided notification, counseling, and testing.
Human Papillomavirus (genital warts)	Patients with genital warts should inform current sex partners because the warts can be transmitted to other partners.
PID	60 days or most recent partner if >60 days
Pubic lice	one month
Lymphogranuloma Venereum	60 days
Nongonococcal Urethritis	60 days
Scabies	one month
Syphilis, primary	3 months plus duration of symptoms
Syphilis, secondary	6 months plus duration of symptoms
Syphilis, early latent	1 year before start of treatment
Trichomoniasis	“sex partners should be treated”